




# 電動式自動噴料餵魚機

ELECTRIC AUTOMATIC FISH FEEDER



**ADVANFIS SDN. BHD.**

浩洋實業 (馬) 有限公司

CO. NO. : 230112-W GST NO. : 000489111552

PLOT 80, JALAN PERINDUSTRIAN 1, PARIT BUNTAR INDUSTRIAL ESTATE,  
34200 PARIT BUNTAR, PERAK DARUL RIDZUAN, MALAYSIA.

TEL : 60-5-7166416 (HUNTING LINE), 7167178 FAX : 60-5-7167040, 7176249  
E-MAIL : advanfis.sb@gmail.com WEB : advanfis.com.my

# HA SERIES ELECTRIC AUTOMATIC FISH FEEDER

## **INTRODUCTION** 產品介紹

HA Series Electric Automatic Fish Feeder is an electric motor operated fish feeding device used in machanised fish farming for trout, salmon, milkfish, carp, tilapia, sea perch, sea bass and other fish species.It is suitable for all types of sinking and floating feed.

It has the advantage of time-ration feeding and wider feed spreasing area. Especially a melodious sound is produced while feed passed through the distributing plates,which is easy to train the fish a reaction of snatching feed so that higher utilization ratio of feed can be obtained.

It is reasonable in construction, easy to maintain and has a long service life, it is an ideal fish feeder and will certainly bring you not only a convenient working condition but alsoan obvious profit.

HA 系列電動式自動噴料飼魚機，是機械化養魚的飼餵設備，用於養殖鮭魚、尊魚、虱目魚、鯉魚、尼羅魚、鱸魚、石斑魚等優質魚類。

該機可以定時定量投餵，噴料面積大，餌料以合理的狀態噴出，經分散器落入水中，並產生清脆的音響，容易使魚形成搶食的條件反射，飼料利用率高。


該機結構合理，維護方便，經久耐用，是理想的飼餵設備。採用HA 系列電動式自動噴料飼魚機，可給您帶來舒適的工作條件和良好的收益。

## **FEATURES** 特性

1. Adopt a special powerful centrifugal motor with overload allowance which is typically for strong wind blow.
2. Adopt vibrating type of feed sending.
3. Able to adjust by itself the way of feed sending to allow different sizes of feed to be scattered evenly.
4. Adopt multi-bladed aluminium fan for greater stability and to prevent noise.
5. Featured with a strong blower and two sending pipes with distributing plates to coverwide area of spreading.
6. Adopt large reducer type motor to send feed vibrantly without causing motor problem.
7. Being attached with-switch for full automatic operation.The feeder is controlled by timer-switch which adjust the length of feeding time and the time between feeding.
8. Outer case is made of stainless steel which is weathering proof and durable.
9. Assembled design and is stackable,easy to carry and save the transportation space by twice.

1. 採用離心式附過載強力送風機專用馬達。
2. 採用震動式送料。
3. 調整送料方式，大小均勻分配。
4. 採用鋁質百葉壓鑄型風扇，安靜平穩。
5. 採用高效率鼓風機及雙管（尾端配上分散器）投料，風量大，射程遠，飼料面積大。
6. 採用大型減速馬達，震動送料，故障低。
7. 可配合定時開關全自動操作。本飼魚機是以定時開關來調整餵料時程及每餐之間隔時間。
8. 外殼採用不銹鋼板壓製，不受天候影響，持久耐用。
9. 組合式設計可疊合，便於搬運並可增加兩倍之裝載數量。

# SPARE PARTS



- ① Blower
- ② Funnel & Outlets
- ③ Sending Plates


# SPECIFICATIONS

Model No	Power	Voltage	Phase	Blower	Max Jetting Distance	Max Jetting Area	Feed Load Capacity
HA - 229	0.5 HP	ON REQUEST	1 $\phi$ \ 3 $\phi$	9"	12 M	10 M <sup>2</sup>	180 KGS

Remark : Other feed load capacity can be made on request.

Model No	Weight	Dimension L x W x CM		Transport Capacity	
		Assembled	Stacked	20' Container	40' Container
HA - 229	27 KGS	83 X 83 X 98	NOT STACKABLE	24 UNITS	60 UNITS

# TIMER - SWITCH



## HA SERIES ELECTRIC AUTOMATIC FISH FEEDER



**HA-320 (1/2HP, 1PHS, 220V, 50HZ, CAPACITY 180KG)  
(FOR BIGGER FEED PELLET UP TO 20MM)**

## AUTOMATIC LARVAL FISH FEEDER



**HAL-111 (1/8HP, 1PHS, 220V, 50HZ, CAPACITY 30KG)  
(FOR LARVAL FISH / SMALL FISH)**

## DROPPING TYPE AUTOMATIC LARVAL FISH FEEDER



**HAL-131 (60W, 1PHS, 220V, 50HZ, CAPACITY 20KG)  
(FOR LARVAL FISH / SMALL FISH)**