

HIGH EFFICIENCY WEBSPIRAL AERATOR



雙甲牌高效率蹼足式葉輪水車



AWS-A134
(1HP, 3 PHASE, 415V, 50HZ, 4P, 1:14, 110MM, 1.1A)

- 特點:** 有效供氧，增加養殖物的存活率。
- 全新改良零件，安裝容易，使用壽命長。
- 效率:** 水流更強勁，溶氧速率更快。
- 溶氧:** 較高溶氧量及給氧效率。

CHARACTERISTICS: EFFECTIVE OXYGENATION, INCREASE THE SURVIVAL RATE OF THE CULTURED ANIMALS, BRANDNEW DESIGN OF SPARE PARTS, EASY ASSEMBLY AND LONGER SERVICE LIFE.

EFFICIENCY: STRONG WATER FLOW, FASTER OXYGENATION.

OXYGENATION: HIGHER OXYGEN TRANSFER RATE & AERATION EFFICIENCY.

SPECIFICATIONS:

規格表		型號	Model	AWS-A134
Specification	馬力	Motor Hp		1 HP
	耗電量	Power Consumption		1.1A
	電壓	Voltage		380V/415V
	電相	Phase		3 Phase 50Hz/60Hz
	葉輪數	Impeller Number		4 PCS
	外形尺寸	Dimensions		175CM x 187CM x 89CM
	裝運體積	Storage Volume		0.7M ³
性能	動力效力	Std Oxygen Transfer Rate		1.60Kg.O ₂ /Hr
	增氧能力	Std Aeration Efficiency		1.80Kg.O ₂ /Kw.Hr

增氧機零件組織圖 SPARE PARTS OF PADDLE WHEEL AERATOR



HDPE PONTOON FLOATER S4



ANA MOTOR T100-3



U2 CI BEVEL GEAR REDUCER T85
(d 25mm, 1:14, 110mm)



SS304 COMMON BED
(L1560 x 725MM)



S2 YELLOW PLASTIC WEBSPIRAL IMPELLER NO.6A (CU BUSH d25.5mm)



ADJUSTABLE SMALL ROLLER SUPPORTER (d 25.2 x 110mm)



BLACK EN PLASTIC MOVABLE CONNECTOR MC-04 (d 25.5 x 25.5mm)



MACHINE COVER



SS SOLID DRIVE ROD

HIGH EFFICIENCY WEBSPIRAL AERATOR



雙甲牌高效率蹼足式葉輪水車



AWS-A238
(2HP, 3 PHASE, 415V, 50HZ, 4P, 1:14, 120MM, 2.2A)

- 特點:** 有效供氧，增加養殖物的存活率。
全新改良零件，安裝容易，使用壽命長。
- 效率:** 水流更強勁，溶氧速率更快。
- 溶氧:** 較高溶氧量及給氧效率。

CHARACTERISTICS: EFFECTIVE OXYGENATION, INCREASE THE SURVIVAL RATE OF THE CULTURED ANIMALS, BRANDNEW DESIGN OF SPARE PARTS, EASY ASSEMBLY AND LONGER SERVICE LIFE.
EFFICIENCY: STRONG WATER FLOW, FASTER OXYGENATION.
OXYGENATION: HIGHER OXYGEN TRANSFER RATE & AERATION EFFICIENCY.

SPECIFICATIONS:

規格表		型號	Model	AWS-A238
Specification	馬力	Motor Hp		2HP
	耗電量	Power Consumption		2.2A
	電壓	Voltage		380V/415V
	電相	Phase		3 Phase 50Hz/60Hz
	葉輪數	Impeller Number		8 PCS
	外形尺寸	Dimensions		175CM x 240CM x 89CM
	裝運體積	Storage Volume		1.0M ³
	性能	動力效力	Std Oxygen Transfer Rate	
增氧能力		Std Aeration Efficiency		1.60Kg.O ₂ /Kw.Hr


增氧機零件組織圖 SPARE PARTS OF PADDLE WHEEL AERATOR



HIGH EFFICIENCY WEBSPIRAL AERATOR



雙甲牌高效率蹼足式葉輪水車



AWS-A2310
(2HP, 3 PHASE, 415V, 50HZ, 4P, 1:14, 130MM, 2.6A)

- 特點:** 有效供氧，增加養殖物的存活率。
- 全新改良零件，安裝容易，使用壽命長。
- 效率:** 水流更強勁，溶氧速率更快。
- 溶氧:** 較高溶氧量及給氧效率。

CHARACTERISTICS: EFFECTIVE OXYGENATION, INCREASE THE SURVIVAL RATE OF THE CULTURED ANIMALS, BRANDNEW DESIGN OF SPARE PARTS, EASY ASSEMBLY AND LONGER SERVICE LIFE.

EFFICIENCY: STRONG WATER FLOW, FASTER OXYGENATION.

OXYGENATION: HIGHER OXYGEN TRANSFER RATE & AERATION EFFICIENCY.

SPECIFICATIONS:

規格表		型號	Model	AWS-A2310
性能	馬力	Motor Hp		2HP
	耗電量	Power Consumption		2.6A
	電壓	Voltage		380V/415V
	電相	Phase		3 Phase 50Hz/60Hz
	葉輪數	Impeller Number		10 PCS
	外形尺寸	Dimensions		175CM x 250CM x 89CM
	裝運體積	Storage Volume		1.1M ³
	動力效力	Std Oxygen Transfer Rate		3.40Kg.O ₂ /Hr
增氧能力	Std Aeration Efficiency		1.80Kg.O ₂ /Kw.Hr	

增氧機零件組織圖 SPARE PARTS OF PADDLE WHEEL AERATOR

